

Office of Health Care Assurance

State Licensing Section

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION

Facility's Name: R.K.C. ARCH	CHAPTER 100.1
Address: 91-938 Hanakahi Street, Ewa Beach, Hawaii 96706	Inspection Date: August 3, 2020 Annual

THIS PAGE MUST BE SUBMITTED WITH YOUR PLAN OF CORRECTION. IF IT IS NOT, YOUR PLAN OF CORRECTION WILL BE RETURNED TO YOU, UNREVIEWED.

YOUR PLAN OF CORRECTION MUST BE SUBMITTED WITHIN TEN (10) WORKING DAYS. IF IT IS NOT RECEIVED WITHIN TEN (10) WORKING DAYS, YOUR STATEMENT OF DEFICIENCIES WILL BE POSTED ONLINE, WITHOUT YOUR RESPONSE.

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance.</p> <p><u>FINDINGS</u> Substitute Caregiver (SCG) #1 – Initial TB clearance unavailable for review. Submit a copy with plan of correction.</p>	<p style="text-align: center;">PART 1</p> <p style="text-align: center;"><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p style="text-align: center;">USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p style="text-align: center;">I got (SCG) TB Clearance</p>	<p>8/20/2020</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (b) All individuals who either reside or provide care or services to residents in the Type I ARCH shall have documented evidence of an initial and annual tuberculosis clearance.</p> <p><u>FINDINGS</u> Substitute Caregiver (SCG) #1 – Initial TB clearance unavailable for review. Submit a copy with plan of correction.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will make a check list to make sure all the (SCG) will have their TB test in time.</i></p>	<p><i>8/20/2020</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> SCG #1 – Documentation of first aid certification unavailable for review. Submit a copy with plan of correction.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p>I called the (SCG) to send the First Aid certificate.</p>	<p>8/3/2020</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(3) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be currently certified in first aid;</p> <p><u>FINDINGS</u> SCG #1 – Documentation of first aid certification unavailable for review. Submit a copy with plan of correction.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will do a check list so First aid certificate can be completed on time.</i></p>	<p><i>Aug-3, 2020</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p><u>FINDINGS</u> SCG #2 – Documentation of primary caregiver training unavailable for review. Submit a copy with plan of correction.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p><i>Documentation of (PCG) and (SCG) care giver training submitted</i></p>	<p><i>8/5/2020</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (e)(4) The substitute care giver who provides coverage for a period less than four hours shall:</p> <p>Be trained by the primary care giver to make prescribed medications available to residents and properly record such action.</p> <p>FINDINGS SCG #2 – Documentation of primary caregiver training unavailable for review. Submit a copy with plan of correction.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>Make a employee check list that includes Physical, TB test, PPD test, CPR and First aid, and PCS Training</i></p> <p><i>I will reviewed every 3 months.</i></p>	<p>11/2/20</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (f)(1) The substitute care giver who provides coverage for a period greater than four hours in addition to the requirements specified in subsection (e) shall:</p> <p>Be currently certified in cardiopulmonary resuscitation;</p> <p><u>FINDINGS</u> SCG #1 – Documentation of CPR certification unavailable for review. Submit a copy with plan of correction.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p>I called my (SCG) to sent the CPR</p>	8/3/2020

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-9 <u>Personnel, staffing and family requirements.</u> (f)(1) The substitute care giver who provides coverage for a period greater than four hours in addition to the requirements specified in subsection (e) shall:</p> <p>Be currently certified in cardiopulmonary resuscitation;</p> <p><u>FINDINGS</u> SCG #1 – Documentation of CPR certification unavailable for review. Submit a copy with plan of correction.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will do a checklist so the CPR certificate can be completed on time</i></p>	<p><i>8/3/2020</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (a)(1) The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the licensee or primary care giver for the department's review:</p> <p>Documentation of primary care giver's assessment of resident upon admission;</p> <p>FINDINGS Resident #1 – Documentation of primary caregiver assessment upon resident's admission on 3/3/2020, unavailable for review.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (a)(1) The licensee or primary care giver shall maintain individual records for each resident. On admission, readmission, or transfer of a resident there shall be made available by the licensee or primary care giver for the department's review:</p> <p>Documentation of primary care giver's assessment of resident upon admission;</p> <p><u>FINDINGS</u> Resident #1 – Documentation of primary caregiver assessment upon resident's admission on 3/3/2020, unavailable for review.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will make a note to check my admission check list.</i></p> <p><i>I will put on my care home binder.</i></p>	<p>11/2/20</p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (b)(3) During residence, records shall include:</p> <p>Progress notes that shall be written on a monthly basis, or more often as appropriate, shall include observations of the resident's response to medication, treatments, diet, care plan, any changes in condition, indications of illness or injury, behavior patterns including the date, time, and any and all action taken. Documentation shall be completed immediately when any incident occurs;</p> <p>FINDINGS Resident #1 – Resident's response to medications not included in monthly progress notes.</p>	<p>PART 1</p> <p>Correcting the deficiency after-the-fact is not practical/appropriate. For this deficiency, only a future plan is required.</p>	

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (b)(3) During residence, records shall include:</p> <p>Progress notes that shall be written on a monthly basis, or more often as appropriate, shall include observations of the resident's response to medication, treatments, diet, care plan, any changes in condition, indications of illness or injury, behavior patterns including the date, time, and any and all action taken. Documentation shall be completed immediately when any incident occurs;</p> <p><u>FINDINGS</u> Resident #1 – Resident's response to medications not included in monthly progress notes.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will put a note on resident binder a response to medication is needed. on progress notes.</i></p>	<p><i>11/2/20</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (c) Unusual incidents shall be noted in the resident's progress notes. An incident report of any bodily injury or other unusual circumstances affecting a resident which occurs within the home, on the premises, or elsewhere shall be made and retained by the licensee or primary care giver under separate cover, and shall be made available to the department and other authorized personnel. The resident's physician or APRN shall be called immediately if medical care may be necessary.</p> <p><u>FINDINGS</u> Resident #1 – Incident reports for 2/29/2020 and 3/1/2020, were kept in resident's file and not under separate cover.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p><i>Incident reports for 2/29/2020 and 3/1/2020 was transfer to caregiver folder. Care Home folder</i></p>	<p><i>8/3/2020</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (c) Unusual incidents shall be noted in the resident's progress notes. An incident report of any bodily injury or other unusual circumstances affecting a resident which occurs within the home, on the premises, or elsewhere shall be made and retained by the licensee or primary care giver under separate cover, and shall be made available to the department and other authorized personnel. The resident's physician or APRN shall be called immediately if medical care may be necessary.</p> <p><u>FINDINGS</u> Resident #1 – Incident reports for 2/29/2020 and 3/1/2020, were kept in resident's file and not under separate cover.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will put a note on resident binder to put the incident report in care Home binders.</i></p>	<p><i>11/2/20</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(4) General rules regarding records:</p> <p>All records shall be complete, accurate, current, and readily available for review by the department or responsible placement agency.</p> <p><u>FINDINGS</u> Resident #1 – Diagnoses field on Resident Emergency Information sheet does not reflect current diagnoses. Seizures not included in diagnoses field. Submit an updated copy with plan of correction.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p><i>I included the Seizures on the Residents Emergency information sheet.</i></p>	<p><i>8/3/2020</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-17 <u>Records and reports.</u> (f)(4) General rules regarding records:</p> <p>All records shall be complete, accurate, current, and readily available for review by the department or responsible placement agency.</p> <p><u>FINDINGS</u> Resident #1 – Diagnoses field on Resident Emergency Information sheet does not reflect current diagnoses. Seizures not included in diagnoses field. Submit an updated copy with plan of correction.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will put the reminders note at the residents Folder included current diagnoses.</i></p>	<p><i>11/2/20</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment</u>. (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><u>FINDINGS</u> Bedroom #2 – Smoke detector hanging from ceiling by wires.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p><i>I Fixed the smoke detector right away</i></p>	<p><i>8/3/2020</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (g)(3)(G) Fire prevention protection.</p> <p>Type I ARCHs shall be in compliance with, but not limited to, the following provisions:</p> <p>Smoke detectors shall be provided in accordance with the most current edition of the National Fire Protection Association (NFPA) Standard 101 Life Safety Code, One and Two Family Dwellings. Existing Type I ARCHs may continue to use battery operated individual smoke detector units, however, upon transfer of ownership or primary care giver, such units shall be replaced with an automatic hard wiring UL approved smoke detector system;</p> <p><u>FINDINGS</u> Bedroom #2 – Smoke detector hanging from ceiling by wires.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will make a reminder note to check my smoke alarm everyday, I will put a note on resident door.</i></p>	<p><i>11/2/20</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> Single-use hand towels unavailable in resident's bathroom.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p><i>I put a new disposable paper towel in Resident bathroom.</i></p>	<p><i>9/27/20</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment</u>. (h)(3) The Type I ARCH shall maintain the entire facility and equipment in a safe and comfortable manner to minimize hazards to residents and care givers.</p> <p>All Type I ARCHs shall comply with applicable state laws and rules relating to sanitation, health, infection control and environmental safety;</p> <p><u>FINDINGS</u> Single-use hand towels unavailable in resident's bathroom.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will put a note on the bathroom wall to put a disposable paper towel @ all times.</i></p>	<p><i>11/2/20</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (i)(2) All construction or alterations shall comply with current county building, land use and fire codes and ordinances in the state. The Type I ARCH licensed for wheelchair residents shall be accessible to and functional for the residents at the time of licensure.</p> <p>Windows shall have screens having no less than sixteen meshes per inch.</p> <p>FINDINGS Multiple holes in living room window screen. Window with damaged screen is fronting the main road, closest to the front door.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p>I Fixed all the Screens window.</p>	8/3/2020

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (i)(2) All construction or alterations shall comply with current county building, land use and fire codes and ordinances in the state. The Type I ARCH licensed for wheelchair residents shall be accessible to and functional for the residents at the time of licensure.</p> <p>Windows shall have screens having no less than sixteen meshes per inch.</p> <p>FINDINGS Multiple holes in living room window screen. Window with damaged screen is fronting the main road, closest to the front door.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will check the window screen every week and make a check list to sign off that window check is done.</i></p>	<p><i>11/2/20</i></p>

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Resident #1 – Signaling device not within resident's reach at bedside.</p>	<p>PART 1</p> <p><u>DID YOU CORRECT THE DEFICIENCY?</u></p> <p>USE THIS SPACE TO TELL US HOW YOU CORRECTED THE DEFICIENCY</p> <p>I'll put signaling device right next to the clients bed.</p>	8/3/2020

	RULES (CRITERIA)	PLAN OF CORRECTION	Completion Date
<input checked="" type="checkbox"/>	<p>§11-100.1-23 <u>Physical environment.</u> (p)(5) Miscellaneous:</p> <p>Signaling devices approved by the department shall be provided for resident's use at the bedside, in bathrooms, toilet rooms, and other areas where residents may be left alone. In Type I ARCHs where the primary care giver and residents do not reside on the same level or when other signaling mechanisms are deemed inadequate, there shall be an electronic signaling system.</p> <p><u>FINDINGS</u> Resident #1 – Signaling device not within resident's reach at bedside.</p>	<p>PART 2</p> <p><u>FUTURE PLAN</u></p> <p>USE THIS SPACE TO EXPLAIN YOUR FUTURE PLAN: WHAT WILL YOU DO TO ENSURE THAT IT DOESN'T HAPPEN AGAIN?</p> <p><i>I will make a note next to the bed to have signaling device at bedside.</i></p>	<p><i>11/2/20</i></p>

Licensee's/Administrator's Signature: *Jm*

Print Name: Josephine Fitzgerald

Date: 11/2/2020